

### Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

#### CHOLERA, YELLOW FEVER, PLAGUE, AND SMALLPOX-Continued.

#### Reports Received from June 29 to Aug. 30, 1912.

#### SMALLPOX-Continued.

Places.	Date.	Cases.	Deaths.	Remarks.
Turkey in Asia: Beirut. Dardanelles. Turkey in Europe: Constantinople. Uruguay: Montevideo. Venezuela: La Guaira.	May 27-Aug. 4 May 1-31	1	7 107	

#### MORTALITY.

#### WEEKLY MORTALITY TABLE, FOREIGN AND INSULAR CITIES.

Cities.				Deaths from—										
	Week ended— Estimated population.	Total deaths from all causes.	Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.	
Aberdeen Do Amsterdam Do Antwerp	Aug. 3 Aug. 10 Aug. 3 Aug. 10 Aug. 3	163,084 582,984 316,604	71 67 103 118 75	12 18 3							 1	1  2	1 2 2 3	 
Athens.  Barcelona  Barmen.  Batavia.  Beirut.	Aug. 10 Aug. 4 July 27 July 20 Aug. 10	250,010 591,272 171,300 217,630 80,000	15 163 24 20	14 8				1 2		2 2 	1 	1 2 	1 3	
Belfast Do Belgrade Do Birmingham	Aug. 3 Aug. 10 Aug. 3 Aug. 10	391,051 90,050 842,512	99 92 31 39 182	18 15  14				······ 2		2 	1  6	2 1 2	3	2
Do	Aug. 17 July 27 Aug. 3 Aug. 10 Aug. 17	979, 445 246, 850 359, 400	812 60 57 88	20 40 10 4	15	58		9		1	  1	1  1 2	3	1  1 2
BudapestCalcuttaCataniaChemnitzChristianiaChologne	Aug. 3 July 13 Aug. 16 Aug. 10 do	1,000,000 896,067 207,000 305,425 247,488 351,616	328 60 72 11 172	25 1 8 10 10	6	19			 1	3 	5 1 	1  1 1 2	1 	1
Colombo	July 13 Aug. 11 Aug. 3 Aug. 10 Aug. 3	227, 026 1,000,000 465,000	109 219 109 111 14	12 32 11 11 11				8	1 1	7 	1 1 5	2 1 1	2 3	1
Dainy	do Aug. 10 do Aug. 3 Aug. 10	46, 451 559, 300 406, 536 165, 300	32 119 130 58 47	19 27 6 1					2 	1	1 1 1 	1 1	4 5 3	2
Do Erfurt	Aug. 17 Aug. 10 July 28 Aug. 10 do	126, 837 428, 800 57, 577 170, 100	98 102 47 36	7 2  7 6						 1		2 2 2 	1  4	1 
HamburgHawreHaullKingston	Aug. 15 Aug. 10 do	953,079 136,159 282,988 57,379	248 62 91	25 10						1 2 			2 6	

# MORBIDITY—Continued. Weekly mortality table, foreign and insular cities—Continued.

			Total deaths from all causes.	Deaths from—										
		Estimated population.		Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Leipzig	Lug. 17 Lug. 10 Lug. 13 Lug. 13 Lug. 13 Lug. 15 Lug. 10 Lug. 10 Lug. 10 Lug. 15 Lug. 10 Lug. 15 Lug. 16 Lug. 17 Lug. 10 Lug. 17 Lug. 10 Lug. 18 Lug. 18 Lug. 18 Lug. 19 Lug. 11 Lug. 18 Lug. 10 Lug. 10 Lug. 10 Lug. 10 Lug. 17 Lug. 10 Lug. 10 Lug. 17 Lug. 10 Lug. 17 Lug. 10 Lug. 1	605, 755 81, 000 84, 000 168, 780 752, 055 7, 340, 079 100, 000 523, 796 714, 427 202, 651 719, 052 100, 000 466, 197 430, 010 269, 193 262, 563 575, 000 90, 000 340, 000 2, 888, 110 102, 167 18, 195 60, 900 293, 316 921, 987 441, 338 250, 000 1, 962, 400 455, 000 500, 000 120, 896	103 157 24 41 252 244 1,451 27 159 400 360 62 56 194 143 67 66 65 157 722 47 2244 416 376 354 438 376 375 72 2217 2217 2217 2217 2217 2217 2217	8 18 3 3 2 19				1 1 1 2 2		1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 2 6 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 10 38 2 2 3 3 2 2 2 2 3 3	

<sup>&</sup>lt;sup>1</sup> Received out of date, see p. 1313.

## MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (Untabulated).

ALGERIA—Algiers.—Month of June, 1912. Population 180,000. Total number of deaths from all causes 291, including measles 3, tuberculosis 66, typhoid fever 4.

Month of July, 1912. Total number of deaths from all causes 286, including measles 5, plague 2, tuberculosis 44, typhoid fever 2, typhus fever 1.